

SECTION 1, PRODUCT AND COMPANY IDENTIFICATION

Product Name: TPR² Fireshell Series - F10E, BMS TC, TB, JM TC

Effective Date: April 28, 2015

Product Use/Class: Fire Retardant Coating

Manufacturer: TPR² Corporation Preparer: Chemistry Department, TPR² Corporation

36 Plains Road Essex, CT 06426 USA

1-860-767-8772

In Case of Emergency: CHEMTREC Supersedes: New

1-800-424-9300

SECTION 2, HAZARDS IDENTIFICATION

GHS Classification:

Hazard Class Hazard Category Route of Exposure

Acute Toxicity – Inhalation4InhalationEye Irritation2BEyeSkin Irritation2Skin

Signal word: Warning

Symbol(s):



Hazard Statements:

Harmful if inhaled

Causes eye irritation Causes skin irritation

Precautionary Statements:

Avoid breathing mist/spray Wear eye protection Avoid contact with exposed skin Wear protective gloves Wash thoroughly after handling

Response:

If inhaled: Remove person to fresh air

If in eyes: Rinse with water for several minutes If eye irritation persists: Get medical attention

If on skin: Wash with soap and water

If skin irritation persists: Get medical attention

Storage:

Store material in cool dry place

Disposal:

Page 1 of 6 TPR² Corporation

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200 and prepared to GHS.



Dispose of contents and container in accordance with local/regional/national regulations

Section 3, Composition / Information on Ingredients

Chemical Name	CAS Number	Wt. %
Ammonium Polyphosphate	68333-79-9	15-35
Pentaerythritol	115-77-5	7-13
Melamine	108-78-1	7-13
Titanium Dioxide	13463-67-7	5-10
Aluminum Trihydrate	8064-00-4	0-5

Section 4, First Aid Measures

General – If irritation or other symptoms occur or persist from any route of exposure, remove the affected individual from the area: get medical attention

First Aid – Skin Contact: Wash with soap and water. Remove contaminated clothing. If persistent irritation occurs, seek medical attention.

First Aid – Eye Contact: Flush eyes for at least 15 minutes. Seek medical attention if irritation persists.

First Aid – Ingestion: If swallowed: Do not induce vomiting. Rinse mouth out with water. If irritation persists: seek medical attention.

Section 5, Fire Fighting Measures

Extinguishing Media: Use ABC dry chemical, foam or carbon dioxide.

Unusual Fire & Explosion Hazards: Closed container may rupture (due to a buildup of pressure) when exposed to extreme heat. Carbon monoxide and/or carbon dioxide may be released when exposed to very high temperatures.

Special Protective Equipment and Precautions for Fire-Fighters: Wear positive pressure self-contained NIOSH approved breathing equipment and approved protective equipment if necessary.

Section 6, Accidental Release Measures

Personal precautions, Protective Equipment, and Emergency Response: Use personal protective equipment as recommended in section 8.

Environmental Precautions: Do not allow material to be released into waterways.

Methods and materials for containment and cleaning up: If spilled, absorb with vermiculate or other inert material (i.e. sand). Collect up and place in an appropriate container.

Section 7, Handling and Storage

Precautions for safe handling: When working with any chemical product, use good workplace procedures. Do not cut, puncture, or weld on or near the container. Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Use under well ventilated conditions. Avoid skin and eye contact. Avoid inhalation of mist, spray, fume or vapor. Avoid drinking, tasting, swallowing or ingesting this product. Wash contaminated clothing before reuse.

Page 2 of 6

TPR² Corporation



Conditions for safe storage: Keep away from heat, sparks and open flames. Avoid extreme heat or cold. Store above freezing. Do not store in open, unlabeled or mislabeled containers. Keep containers closed when not in use. Empty container contains residual product which may exhibit hazards of product. Do not reuse empty containers.

Section 8, Exposure Controls / Personal Protection

Chemical Name	CAS Number	OSHA PEL	ACGIH TLV	NIOSH
Pentaerythritol	115-77-5	15 mg/m³ TWA (total dust) 5 mg/ m³ TWA (respirable fraction)	10 mg/m³ TWA (total dust)	10 mg/m³ (total dust) 5 mg/m³ TWA (respirable dust)
Melamine	108-78-1	N/A	N/A	N/A
Ammonium Polyphosphate	68333-79-9	N/A	N/A	N/A
Titanium Dioxide	13463-67-7	15 mg/m ³ TWA	10 mg/m ³ TWA	5000 mg/m ³ IDLH
Aluminum Trihydrate	21645-51-2	15 mg/m ³ TWA (total dust) 5 mg/m ³ (respirable dust)	10 mg/m ³ TWA (total dust) 3 mg/m ³ (respirable dust)	

Engineering Controls: Use mechanical ventilation (cross, dilution and local exhaust) to control exposure. Local exhaust as required by job conditions to keep TLV below acceptable limits. Refer to OSHA Regulations 29 CFR 1910.94

Respiration Protection: A dust mask should be used in cases where individual are exposed to airborne mists of the material.

Skin Protection: Wear cloth, rubber, or latex gloves. Use long sleeve work cloth or a polypropylene suit.

Eye Protection: Wear proper eye protection; at minimum, safety glasses with side shields.

2300-3500 CPS

Section 9, Physical and Chemical Properties

Appearance: white liquid Odor: mild odor pH: 7-9 **Melting Point:** N/A >212°F **Boiling Point:** Flash Point: >200°F **Evaporation Rate:** >1 (water=1) Flammability: N/A **Lower Exposure Limit:** N/A **Upper Exposure Limit:** N/A Vapor Pressure (mm Hg): N/A Relative Density (kg/mm³): N/A Solubility in Water: N/A Specific Gravity (H2O=1): 1.3 + / - 0.1**Physical State:** White Liquid % Volatiles: 20-30%

Auto Ignition Temperature: N/A

Section 10, Stability and Reactivity

Viscosity:



Chemical Stability: Stable (normal temperature and conditions)

Possibility of Hazardous Reactions: None

Conditions to Avoid: Avoid high temperatures or freezing. Avoid strong acid, bases and oxidizing agents.

Incompatibility: Strong acid, bases and oxidizing agents.

Hazardous Decomposition Products: Thermal decomposition may produce smoke, carbon monoxide, carbon dioxide and

oxides of titanium, oxides of phosphorous, and other products of incomplete combustion.

Hazardous Polymerization: None

Section 11, Toxicological Information

Information on likely exposure:

General: Use personal protective equipment to minimize exposure.

Eyes: May cause eye irritation.

Skin: Causes skin irritation.

Inhalation: Protect from high airborne concentrations of mist resulting from spray. May cause irritation of the respiratory tract and mucous membranes.

Ingestions: May cause irritation.

Carcinogenicity	IARC			NTP		
Chemical Name	Group 1	Group 2A	Group 2B	Known	Suspect	
Pentaerythritol	No	No	No	No	No	No
Melamine	No	No	No	No	No	No
Ammonium	No	No	No	No	No	No
Polyphosphate						
Titanium Dioxide	No	No	Yes	No	No	No
Aluminum Trihydrate	No	No	No	No	No	No

Acute Toxicity:

No toxicity studies have been conducted on this product.

Titanium Dixoide:

 LD50 Oral
 Rat
 >10,000 mg/kg

 LD50 Inhalation
 Rat
 >6.8 mg/L

 LD50 Dermal
 Rat
 >10,000 mg/kg

Melamine:

LD50 Oral Rat 3161 mg/kg LD50 Dermal Rabbit >1,000 mg/kg

Ammonium Polyphosphate:

LD50 Rat >2,000 mg/kg

Aluminum Trihydrate:

LD50 Oral Rat >5,000 mg/kg

Chronic effects: For this category no toxicological test data is available for the whole product. Carcinogenicity: For this category no toxicological test data is available for the whole product.

Page 4 of 6

TPR² Corporation

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200 and prepared to GHS.



Mutagenicity: For this category no toxicological test data is available for the whole product. Teratogenicity: For this category no toxicological test data is available for the whole product. Developmental effects: For this category no toxicological test data is available for the whole product. Fertility effects: For this category no toxicological test data is available for the whole product. Target Organs: For this category no toxicological test data is available for the whole product.

Section 12, Ecological Information

Ecological Information: No ecological testing has been conducted on this product. Ecotoxicity:

Ammonium Polyphosphate

Fish(Brachydanio reno) 96 hour LC50 >500 mg/L

Melamine

Fish (Poecilia reticulata) 96 hour LC50 >3,000 mg/L Invertebrate (Daphnia) 48 hours LC50 >2,000 mg/L

Pentaerythritol

Invertebrate (Daphina) 24 hour EC50 50,000 mg/L Invertebrate (Daphina) 48 hour EC50 30477-37043 mg/L

Persistence and degradability: N/E Bioaccumlative Potential: N/E

Mobility in Soil: N/E

Section 13, Disposal Considerations

Disposal Information: For waste disposal purposes, this product is not known to be designated as hazardous. Incinerate waste products in accordance with federal, state and local regulations. Liquids cannot be disposed of in a landfill.

Section 14, Transportation Information

Proper Shipping Name: Not regulated Technical Name: Not regulated Hazard Class: Not regulated UN/NA Number: Not regulated

Freight Class:

Skid(s): 55
Drum(s): 50
Additional Notes: None

Section 15, Regulatory Information

US Regulations

HCS Classification Irritating material, Sensitizing material

SARA 313 – Supplier Notification None per 40 CFR Part 372

SARA 311/312 - U.S. Federal Regulations

Immediate Health (Acute): Yes (Irritant)

Delayed Health (Chronic): No
Fire: No
Pressure: No
Reactive: No

Page 5 of 6

TPR² Corporation

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200 and prepared to GHS.



Chemical Inventory List:

U.S. TSCA - All chemicals in this product are listed or exempt from listing.

HMIS Ratings:

Health: 1 Flammability: 0 Reactivity: 0 Personal Protection: G

Volatile Organic Compounds (VOC): <50 g/L

NFPA:

Health: 1 Flammability: 0 Reactivity: 0

Section 16, Other Information

Prepared by: Chemistry Department, TPR² Corporation, USA

Phone: (860)767-8772

To the best of our knowledge, the information contained herein is accurate, obtained from sources believed by TPR² Corporation to be accurate at the time of preparation. TPR2 Corporation does not assume any legal responsibility for use or reliance upon same.